



1. PRODUCT AND COMPANY IDENTIFICATION

Trade name: MISTER DRY BATTERY

Commercial Code: Product type and use: Absorbing powder that neutralizes the acid contained in batteries and named MISTER DRY BATTERY and it is the processing result of extrusive rock consisting of aluminum silicate with essence of free silica, mixed with mineral earth inorganic metals and treated in water solution. The result is an inert organic compound and therefore is not subject to REACH regulations. Supplier:

EMME DI SERVICE VIA DEI CALZOLAI ,7 57021 VENTURINA (LI)

e-mail emmediserviceok@yahoo.it

info@misterdry.it

Tel: (+39) 347/5415872

Fax: (+39) 0565/1989281

Voicemail 24h/24: (+39) 0565/1930281

Company phone number for emergency calls:

(+39) 347/5415872 Mr. Daniele D'Onofrio

2. COMPOSITION / COMPOUNDS INFORMATION

Hazardous Substances to health in accordance with Directive 67/548/CEE and subsequent updates or having established exposure limits: mixture of alumina silicate,

potassium, sodium, alkaline earth of a basic nature³. **HAZARDS IDENTIFICATION** The product is not to be considered hazardous according to known data.

4. FIRST AID MEASURES

Skin contact:

Just wash off with water

Eye contact:

Flush immediately with water for several minutes plenty.

If the irritation persists, consult a specialist.

Ingestion:

Rinse mouth with water only. Drink water.

Do not induce vomiting.

Means of emergency:

Water.

5. FIRE PROTECTION MEASURES

The product is not flammable.

Recommended Extinguishers: CO₂, foam, chemical powders, nebulized water depending on the materials involved in the fire. Prohibited Extinguishers: None. Risks arising from combustion: Avoid inhaling the fumes. Carbon monoxide, carbon dioxide toxic gases could be generated due to packaging combustion. Protective equipment: Use protection for the eyes and the respiratory tract. 6.

MEASURES IN CASE OF ACCIDENTAL SPILLAGE

Individual precautions: natural mineral product, no specific safety measures. Considering the nature and the conditions of the dusty product, we recommend the use of gloves and suitable glasses. Environmental precautions:

MISTER DRY BATTERY respects the environment.

Cleaning methods: Pick up mechanically.

7. HANDLING AND STORAGE

Handling precautions:

Avoid causing excessive dust, do not get downwind (see point 6).

Storage conditions:

Close the partially used bags to prevent the product from becoming too dusty.

Instructions on storage premises: Cool and adequately ventilated.

PRODUCT LIFETIME: 7 (SEVEN) YEARS

8. EXPOSURE CONTROLS / INDIVIDUAL PROTECTION

Precautions:

In such conditions as to raise excessively the product, act as recommended at point 6.

Respiratory protection:

Use disposable masks during application. Hands protection:

Use gloves during the application.

Eye protection:

Safety glasses during application (see point 6).

Skin Protection: None in particular.

Exposure Limits of contained substances:

– TWA: mg/m ³	10 mg/m ³	STEL mg/m ³
	–	

9. PHYSICAL AND CHEMICAL CHARACTERISTICS

Appearance and color: dusty-powdery

masspH (10% suspension) 11.5 ± 0.3

Change in condition: Over 800 ° C

Solubility in water: Insoluble

Solubility in solvents: Insoluble

Density: 0.38 ± 30 gr /lt

10. STABILITY AND REACTIVITY

Conditions to be avoided:

in normal conditions the product does not have hazardous reactions

Substances to be avoided: Avoid contact with acid HYDROFLUORIC

Hazards decomposition: Under normal conditions, no decomposition

11. TOXICOLOGICAL INFORMATION

Delayed/ immediate effects under short /long exposure:

The product poses no special risks to one's health Effects from harmful exposure:

Contact with eyes may cause temporary discomfort.

12. ECOLOGICAL INFORMATION

To be used according to good working practices, avoiding the release into the environment. No observed effects on the environment when used and disposed according to the existing regulations. Ecotoxicity and bioaccumulation: This product is an

inert material that remains stable over time.

13. DISPOSAL CONSIDERATIONS

Disposal must be done in authorized areas according to current laws and declaring that it has absorbed the acid sulfuric contained in the batteries

14. INFORMATION ON THE CARRIAGE None in particular. Keep the integrity of the packaging, prevent water infiltration.

15. REGULATORY INFORMATION

D.Lgs. 3/2/1997 no. 52, D.Lgs. 16/7/1998 no. 285 (Classification and Labeling):
Product not subject to labeling according to DL No. 52 dated 03-02-97 DM 04-04-97 DM 28-04-97

16. ADDITIONAL INFORMATION

The information contained herein are based on our knowledge at the date above indicated.

They refer to the product indicated and constitute no guarantee of particular quality.

The user must verify the suitability and completeness of such information in relation to the specific purpose of its usage.

This MSDS cancels and replaces any previous release.

EMME DI SERVICE di Daniele D'Onofrio - Via dei Calzolari, 7 - 57021 - Venturina (LI)
Tuscany-Italy www.emmediservice.com - www.misterdry.it info@misterdry.it
emmediserviceok@yahoo.it