



PACTUR srl

Macchine confezionatrici per film termoretraibile

Shrink wrapping machines

Schrumpfverpackungsmaschinen

Empaquetadoras para film termocontraible

Machines d'emballage pour film termorétractable

Упаковочное оборудование для термоусадки



100% made in Italy



Macchine a campana
Chamber machines
Haubenschrupfmaschinen
Máquinas de campana
Machines à cloche
Оборудование камерного типа




saldatore / sealer: 440 x 550 mm
h prodotto max / max product height: 200 mm
ingombro / overall dimensions: 1300 x 810 x 1000 mm



45 – 65 – 80 - 110

Macchine manuali e semiautomatiche a tunnel
Manual and semiautomatic L-sealers with tunnel
Manuellen und halbautomatischen Winkelschweißer mit Tunnel
Máquinas manuales y semiautomáticas con túnel
Machines manuelles et sémiautomatiques à tunnel
Ручное и полуавтоматическое оборудование тоннельного типа



	45	45/L	65	80	110
A	880	880	880	930	930
B	600	1120	1120	1220	1220
C	130	210	210	240	240
D	1050	1080	1080	1550	1800
E	1000	1150	1350	1670	2000
F	450	510	690	730	930
G	550	600	800	800	950
H	385	450	450	650	800
I	285	340	340	450	540
L	340	510	510	710	800

AUTO 40 UNICA / AUTO 60 UNICA

Confezionatrici automatiche angolari con tunnel di retrazione incluso

Automatic L-sealers with shrink tunnel included

Automatische Winkelschweißer mit Schrumpftunnel eingeschlossen

Empaquetadoras automáticas angulares con túnel incluido

Soudeuses en L automatiques avec tunnel de rétraction inclus

Автоматическое оборудование с включенным туннелем



Dati / Data	A. 40 Unica	A. 60 Unica
Saldatore Sealer	360x490mm	510x610mm
H max Max height	120 mm	150 mm ÷ 220 mm



AUTO 30/L – 40/L – 60/L – 80/L

Confezionatrici automatiche a saldatore in continuo

Automatic continuous side seal machines

Automatische Seitenschweißmaschinen

Empaquetadoras automáticas con soldador en continuo

Soudeuses automatiques en continu

Автоматическое оборудование с непрерывным сварщиком



Dati prodotto/product data	A.30/L	A.40/L	A.60/L	A.80/L
Larghezza saldatore /sealer width	300 mm	450 mm	600 mm	800 mm
Lunghezza/length	No limit	No limit	No limit	No limit
H max	150 mm	150 ÷ 250 mm	200÷ 300 mm	200 ÷ 300 mm



S602 / S802



Fardellatrici semiautomatiche e automatiche
 Semiautomatic and automatic sleeve wrapping machines
 Halbautomatische und automatische Bündelpackmaschinen
 Enfardadoras semiautomáticas y automáticas
 Fardeleuses sémiautomatiques et automatiques
 Упаковочное оборудование для тяжёлых продуктов




AUTOMATIC



SEMIAUTOMATIC

Modello/ Model	602	802
Larghezza saldatore /sealer width	600 mm	800 mm
Max film	520 mm	760 mm



AUTOMATIC WITH FEEDER

Entrambe le bobine in basso:
SICUREZZA e RAPIDITA'
 nel cambio film

Both film rolls in low position:
SAFE and QUICK film change