

TC 700

Mini - Transporter



CASORZO
S.r.l.

TC 700 *Mini - Transporter*



CARATTERISTICHE TECNICHE

- Motore Honda GX 270 Hp9 (Benzina)
- Motore Kohler CH 395 HP 9,5 (Benzina)
- Avviamento manuale
- Raffreddamento ad aria
- Larghezza 800 mm
- Lunghezza 1700 mm
- Altezza 1200 mm
- Peso a vuoto 450 Kg
- Portata 650 Kg
- Trasmissione idrostatica integrale con due motori idraulici ai cingoli
- Max velocità a vuoto: 5,5 Km/h
- Ribaltamento idraulico
- Sterzata tramite cingoli indipendenti
- Carro portante monoblocco in acciaio ad alta resistenza
- Pedana operatore

ATTREZZATURE DISPONIBILI

- Cassone agricolo con sponde apribili o cassone dumper
- Avviamento elettrico
- Pala auto-caricante - escavatore
- betoniera

TECHNICAL DATA

- Engine Honda GX 270 Hp9 (Gasoline)
- Engine Kohler CH 395 HP 9,5 (Gasoline)
- Manual Starting
- Air cooling
- Width 800 mm
- Length 1700 mm
- Height 1200 mm
- Weight 450 Kg
- Carrying Capacity 650 Kg
- Hydrostatic transmission with two hydraulic engines with tracks
- Working rate: 5,5 Km/h
- Hydraulic Tipping
- Steering through independent tracks
- Carriage is characterized by a robust supporting steel structure
- User's Platform

AVAILABLE ACCESSORIES

- Platform with collapsable sides or dumper
- Electrical Starting
- Loading shovel - Excavator
- Concrete mixer

TC 500 *Mini - Transporter*



TC 500 *Mini - Transporter*



CARATTERISTICHE TECNICHE

- Motore Honda GX 200 HP6,5 (Benzina)
- Motore Kohler CH 270 HP7 (Benzina)
- Avviamento manuale
- Raffreddamento ad aria
- Larghezza 700 mm
- Lunghezza 1400 mm
- Altezza 1200 mm
- Peso a vuoto 320 Kg
- Portata 450 Kg
- Trasmissione idraulica
- Max velocità a vuoto: 4,5 Km/h
- Ribaltamento idraulico
- Sterzata tramite cingoli indipendenti
- Carro portante monoblocco in acciaio ad alta resistenza
- Pedana operatore

ATTREZZATURE DISPONIBILI

- Cassone agricolo con sponde apribili o cassone dumper
- Avviamento elettrico
- Pala auto-caricante

TECHNICAL DATA

- Engine Honda GX 200 HP6,5 (Gasoline)
- Engine Kohler CH 270 HP7 (Gasoline)
- Manual Starting
- Air cooling
- Width 700 mm
- Length 1400 mm
- Height 1200 mm
- Weight 320 Kg
- Carrying Capacity 450 Kg
- Hydraulic transmission
- Working rate: 4,5 Km/h
- Hydraulic Tipping
- Steering through independent tracks
- Carriage is characterized by a robust supporting steel structure
- User's Platform

AVAILABLE ACCESSORIES

- Platform with collapsable sides or dumper
- Electrical Starting
- Loading shovel